

## MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **BUREAU OF PUBLIC WATER SUPPLY**

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

	List PWS ID #s for all Water Systems Covered by this CCR
confide	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR is mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please	Answer the Following Questions Regarding the Consumer Confidence Report
V	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed://
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed://_
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper:
	Date Published:/_/
- ]	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
CERT	IFICATION
he formous	y certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is ent with the water quality monitoring data provided to the public water system officials by the Mississippi Statement of Health, Bureau of Public Water Supply.
\\ m\\ Name/	Title (President, Mayor, Towner, etc.)  Date
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

PECCIVED-WATER SUPPLE

2011 JUN -2 AM 8: 14

## 2010 Annual Drinking Water Quality Report Town of Drew PWS#: 0670004 May 2011

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Meridian Upper Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of Drew have received a lower susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact City Hall at 662-745-8556. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the meetings scheduled for the first Tuesday of the month at 5:30 PM at the City Hall.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2010. In cases where monitoring wasn't required in 2010, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS										
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG		MCL	Likely Source of Contamination	
Inorganic Contaminants										
10. Barium	N	2010	.010	.006010	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits		

13. Chromium	N	2010	10	8 – 10	ppb		100	1	OD Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	.2	0	ppm		1.3	AL=1	.3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride**	N	2010	.733	.417733	ppm		4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	1	0	ppb		0	AL=	15 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2010	1.5	.6 – 1.5	ppb		50		50 Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-I	Products	S						
82. TTHM [Total trihalomethanes]	N	2010	34.98	No Range	ppb	0		80	By-product of drinking water chlorination.
Chlorine	N	2010	.73	.5- 1.1	ppm	0	MDF	RL = 4 Water additive used to control microbes	

<sup>\*</sup> Most recent sample. No sample required for 2010.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected, however, the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

## Significant Deficiencies

During a sanitary survey conducted on 11/10/10 the Mississippi State Department of Health cited the following deficiency:

1.) Inadequate security measures

Corrective actions: The fencing surrounding the wells has been repaired. All deficiencies are scheduled to be completed by 11/29/10.

2.) Inadequate internal cleaning/maintenance of storage tanks

<u>Corrective actions:</u> An inspection had been preformed and the deficiencies noted in the tank inspection are to be addressed within the Bilateral Compliance Agreement with the Mississippi State Department of Health. All deficiencies are scheduled to be completed by 8/31/2012.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Town of Drew works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

<sup>\*\*</sup> Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

2010 Annual Drinking Water Quality Report Town of Drew PWSs: 0670004
May 2011

With pleased to present to you this year's Annual Quality Water Report. The report is designed to inform, you about the quality water and services or oldered by you every day. Our constant goals to provide you wan a sale and disperiability adolgs of made you wan it is said you have been accommod to the provided of th

Maximum Conteminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a conteminant that is allowed in drinking water, MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contembrant Level Gool (MCLG) - The Coort(MCLG) is the level of a contembrant in direking water below which there is no know or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Distriction Level (ARDL) - The highest level of a distriction and in drinking water. There is convi-addition of a districtor's in (picessary for control microbial conteminants.

addition of a Giornantia gossatary to control microan commerciana.

Maximum Replated in Giornantia gossatary for control microan commerciana de distribulgare describedant ballow which there is no brown or separate rais of health. MIDICUS do not refer to be refer to the week of distributions to control micropial occaminants.

Perform performing the distribution performing — described performances to commercian to him posses or a single power ps 10,000.

Perfor per billion (pergo) or Althonograms per item roles performances commerciana to commerciana to commerciana commerciana

				TEST RE								
Contaminant	Violation	Date Coffected	Level Detected	Range of Detect or # of Samples Exceeding MCL/ACL	Messure- ment	MC	ro	MCL		Likely Source of Contamination		
Inorganic	Contan	inants			400				: 33	4		
10. Berlym	H	2010	.019	.008010	ppm		2	2	discharge in	driting westes; tim metal refineries; attiral deposits		
13. Chromium	N	2010	10	A-10	ppb	T à	,100	10		Discharge from sized and pulp mile: prosion of natural decosh		
14. Copper	N	20081	2	•	ppm		1.3	AL=1	3 Corresion o systems; er deposits; to	Corresion of household plumbing systems; erosion of natural deposits; isolahing from wood preservatives		
16. Fluoride**	H	2010	.733	.417733	ppm).	1	•		additive who	Erceion of natural deposits; we additive which promotes strong teetly discharge from fertilizer and sharrings fectories		
17, Load	H	2006*	,	•	bbp	I	0	AL-	systems, er deposits	f household plumbin selon of natural		
21. Selenium	H	2010	1.5	.8 - 1.5	the	-	50		matel retent	metal refraction; arceion of required deposits; discharge from		
Disinfectio	n By-P	roducts	-									
62. TT)-64 [Total	1 T	2010	14.00	lo Range	ppb	0		80	By product of di chlorhation.	y product of driving water Northeston		
Chlorine		2010	73	F13	ppm .	0	MOI		. 4 Water additive used to control microber			

A Mint recent sample. No isomple required for 30/0.

\*\* Frontide level to reactively introduced to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

As you can see by the isolar cor system had no violation. We're proud that your directing water meets or exceeds all Federal and State requirements. We have heared shround shround manufacture and testing that some constituents have been detected, however, the EPA has destroided they overwise IS SAFF at these levels.

Septime In Disclosion:

Office a Subtract control on the Control of the Medical State Discrete Control of the Control of State Discrete Control of the Control of State Discrete Control of State Discrete

The Town of Drew works around the clock to provide top quality water to every tap. We sek that all our customers help us protect our sources, which are the heart of our community, our way of life and our children's luture.

098

Nac 10 H 9: 27